

# FEDERATION CYNOLOGIQUE INTERNATIONALE (AISBL) SECRETARIAT GENERAL: 13, Place Albert 1er B – 6530 Thuin (Belgique)

## 05.05.2003/EN

#### FCI-Standard N° 150

## **SERBIAN HOUND**

(Srpski Gonič)



This illustration does not necessarily show the ideal example of the breed.

**TRANSLATION**: Mrs Pamela Jeans-Brown.

**ORIGIN**: Serbia.

DATE OF PUBLICATION OF THE OFFICIAL VALID

**STANDARD**: 25.03.2003.

**UTILISATION**: Scent hound.

FCI-CLASSIFICATION: Group 6 Scent hounds and

related breeds.

Section 1.2 Medium sized

scenhounds

With working trial.

BRIEF HISTORICAL SUMMARY: The breed belongs to the group of scent hounds which have spread throughout the Balkan territory. It is thought that the scent hounds from Asia Minor played an important part in its genesis. The first description of this breed under the name of Balkan scent hound dates from 1005; for this we are endebted to Frank Laska who described this breed together with other scent hounds. The first standard was drawn up in 1924, but it was only at its session in Bled on May 14th 1940 that the F.C.I. adopted the standards already announced in Stockholm in 1939 and among these was included that of the Balkan scent hound. Because the breed was most widespread in Serbia, it was the Yugoslav Cynological Association which controlled breeding and put in place the first registrations in the official stud book. On November 12<sup>th</sup> 1996, during its meeting in Copenhagen, the General Committee of the F.C.I. discussed the motion put forward by the annual general meeting of the Yugoslav Cynological Association, and accepted that the name Balkan scent hound be replaced by Serbian hound.

<u>GENERAL APPEARANCE</u>: Dog of medium size with a robust constitution. Full of character, it is lively and energetic.

#### **IMPORTANT PROPORTIONS:**

- Length of body measured from point of shoulder to point of buttock is 10% greater than height at withers.
- Girth of chest is 20% more than height at withers. Length of head corresponds to 45% of height at withers.

<u>BEHAVIOUR / TEMPERAMENT</u>: Kind, with lively temperament. Dependable, showing remarkable tenacity.

<u>**HEAD**</u>: Dolichocephalic ( narrow skull base coupled with great length ); top lines of skull and foreface are divergent.

#### **CRANIAL REGION:**

<u>Skull</u>: Seen from the front and in profile, the skull is slightly rounded with a pronounced frontal furrow. Occipital crest not very defined. Width between ears is less than or equal to distance between stop and occipital crest. Pronounced superciliary ridges.

Stop: Almost imperceptible.

#### **FACIAL REGION:**

Nose: Well-developed, always black.

 $\underline{\text{Muzzle}}$ : Cuneiform, a little shorter than the skull; ideal relation between length of muzzle and that of skull is 9 to 10. The muzzle tapers progressively from stop to nose. The foreface is straight.

<u>Lips</u>: Mediumly developed, mediumly thick and fitting well with the jaw. The edges of the lips should be black. The upper lip overlaps the lower lip; corners of lips are firm.

<u>Jaws / teeth</u>: Powerful jaws. Teeth are strong with regular complete scissor bite. Pincer bite allowed.

Cheeks :Flat.

<u>Eyes</u>: Medium size, oval, set slightly slanting. Edges of lids are dark in colour (preferably black). Colour of iris as dark as possible.

<u>Ears</u>: Set high, of medium length and width, pendulous, close to cheeks. The tip of the ear is slightly oval in shape. Ears are thinner than thick.

<u>NECK</u>: Strong. In length approximately the same as the head. Top line is slightly arched. It is at an angle of 45-50 degrees to the horizontal plane.

**BODY**: Slightly oblong, with length 10% more than height at withers.

<u>Topline</u>: Straight.

Withers: Slightly pronounced.

Back: Well-muscled. straight, powerful. long.

Loins: Well-muscled. length about the same as the croup.

<u>Croup</u>: Slightly sloping (20-25 degrees in relation to horizontal). Powerful, well-muscled broad.

<u>Chest</u>: Strong; height 50% of height at withers and girth 20% greater than height at withers.

<u>Underline and belly</u>: The oval point of the sternum stands slightly proud. Belly has slight tuk up.

<u>**TAIL**</u>: Extends line of croup. At the base it is strong and tapers progressively towards tip which reaches level of hock. Sligthly curved up, it is carried below line of back. Covered in abundant hair.

#### **LIMBS**

#### FOREQUARTERS:

<u>General appearance</u>: Powerful, well-muscled, parallel.

<u>Scapula (shouder blade)</u>: Length corresponds approximately to that of upper arm. Muscled, solid and well-attached to the thoracic wall. Forms an angle of 45-50 degrees to horizontal.

<u>Upper arm</u>: Powerful, muscled, approximately same length as scapula.

<u>Elbow</u>: Solid, close to body .Distance from elbow to ground is 50 % of height at withers.

Forearm: Flat, powerful, muscled.

Carpus: Solid.

<u>Metacarpus (Pasterns)</u>: Powerful, slightly sloping (up to 15 % from vertical).

<u>Front foot</u>: Cat foot, with solid tight toes. Nails are strong and black in colour.

#### **HINDOUARTERS:**

General appearance: Strong flat, well-muscled and parallel.

Thighs: Well-muscled, flat.

Stifle: Solid, parallel with median line of body. Angle of stifle

around 120 degrees.

<u>Lower thigh</u>: Well-muscled, length approximatively that of thigh.

Hock: Powerful, well let down. Angle of 135-140 degrees.

Metatarsus (rear pasterns): Strong, almost vertical.

<u>Hind foot</u>: A little longer than the front foot, with solid tight toes. Nails strong and black. Pads are resilient and adequately elastic.

<u>GAIT / MOVEMENT</u>: At the walk good front extension. Preferred gait, free energetic trot. Umbs move on parallel axis to median plane of the body.

**SKIN**: Elastic and well-pigmented, taut over body.

## **COAT**

<u>HAIR</u>: Short, abundant, glearning, quite thick and lying well over all the body with undercoat. Hair slightly longer on back of thighs and underside of tail.

<u>COLOUR</u>: Red (fox coloured) going from yellowy red to a rust tone with black mantle or saddle. The mantle or saddle go as far as the head which shows black marks on either side of the temples; on the chest a round white mark no larger than 2 cm in diameter is allowed.

## **SIZE**:

Height at withers:

Males: 46 -56 cm, ideal height between 51 and 52 cm. Females: 44 -54 cm, ideal height between 48 and 49 cm.

**FAULTS**: Any departure from the foregoing points should be considered a fault and the seriousness with which the fault should be regarded should be in exact proportion to its degree and its effect upon the health and welfare of the dog.

#### **DISQUALIFYING FAULTS:**

- Aggressive or overly shy dogs.
- Any dog clearly showing physical or behavioural abnormalities shall be disqualified.
- Missing tooth, although the absence of two premolars (2PM
   1) is tolerated.
- Over or under shot.
- China eye.
- Body too long.
- Tail curled, carried high or curving over back tip of tail hooked or crooked.
- White mark on chest larger than permitted size or presence of white mark anywhere else.
- Height at withers greater or lesser than that laid down in the standard

### **N.B.:**

- Male animals should have two apparently normal testicles fully descended into the scrotum.
- Only functionally and clinically healthy dogs, with breed typical conformation should be used for breeding.

## **ANATOMICAL FEATURES**

